ELSEVIER

Volume 241, Numbers 1–2, 1 August 1996

Journal of ALLOYS AND COMPOUNDS

Contents

Letter

Magnetic transition in $TbMn_2Si_2$ L1
M. Kolenda (Kraków, Poland), J. Leciejewicz (Warsaw, Poland), A. Szytuła (Kraków, Poland), N. Stüsser (Berlin-Wannsee, Germany), Z. Tomkowicz (Kraków, Poland)

Chemistry

Lattice vibration spectra. Part LXXXVI. Infrared and Raman spectra of baryte-type $TlClO_4$, $TlBF_4$, and NH_4BF_4 single crystals and of ^{11}B-enriched NH_4BF_4 1
H.D. Lutz, J. Himmrich, M. Schmidt (Siegen, Germany)

Structural properties of the system m-ZrO_2–α-Fe_2O_3 10
S. Popović, B. Gržeta, G. Štefanić (Zagreb, Croatia), I. Czakó-Nagy (Budapest, Hungary), S. Musić (Zagreb, Croatia)

Energy migration in $EuTa_7O_{19}$, $TbTa_7O_{19}$ and $La_{0.86}Tm_{0.14}Ta_7O_{19}$ 16
S.-i. Kubota, M. Shimada, H. Takizawa, T. Endo (Sendai, Japan)

Band structure and chemical bonding of the hydride phase of the Ti_3P–H system 22
T. Larsson, B. Noläng, Y. Andersson (Uppsala, Sweden)

Rietveld structure refinement of two high-pressure spinels: $ZnIn_2S_4$–II and $MnIn_2Se_4$–II 29
N. Berand, K.-J. Range (Regensburg, Germany)

The crystal structure of some rhenium and technetium dichalcogenides 34
H.-J. Lamfers, A. Meetsma, G.A. Wiegers, J.L. de Boer (Groningen, Netherlands)

Phase diagram and structure of $CsSm_{(1-x)}Yb_xI_3$ systems 40
Y. Xie, S. Wang, X. Zhao (Beijing, People's Republic of China)

The actinoid nickel phosphides $Th_{11}Ni_{25}P_{20}$ and $U_{11}Ni_{25}P_{20}$ 44
J.H. Albering, W. Jeitschko (Münster, Germany)

Electronic structure, superconductivity, and substitution patterns in Tl_5Te_3 51
K.J. Nordell, G.J. Miller (Ames, IA, USA)

Synthesis and properties of $NbM_2RCu_2O_8$ and $TaM_2RCu_2O_8$ phases (M = Ba, Sr; R = Pr, Nd, Sm, Eu and Gd) 63
E.M. Kopnin (Moscow, Russia and Grenoble, Fance), M.V. Lobanov, A.M. Abakumov, S.V. Lubarskii, O.I. Lebedev (Moscow, Russia), E.V. Antipov (Moscow, Russia and Grenoble, France), J.J. Capponi (Grenoble, France)

A barium germanium nitride, $Ba_3Ge_2N_2$, containing $^1_\infty|Ge^{2-}$ and GeN_2^{4-} anions 69
H. Yamane, F.J. DiSalvo (Ithaca, NY, USA)

Luminescence of Eu^{2+} in silicate host lattices with alkaline earth ions in a row 75
S.H.M. Poort, H.M. Reijnhoudt, H.O.T. van der Kuip, G. Blasse (Utrecht, Netherlands)

Structure–property relationships in a series of mixed layer pnictide oxide compounds: $A_2Mn_3Pn_2O_2$ (A = Sr, Ba; Pn = P, As, Sb) 82
S.L. Brock, S.M. Kauzlarich (Davis, CA, USA)

Synthesis and properties of $BaCu_xNi_{1-x}S_{2-\delta}$ ($0.0 < x < 0.4$; $0.0 < \delta < 0.09$) 89
M.C. Gelabert, D. Drinkwater, F.J. DiSalvo (Ithaca, NY, USA)

On the fusion and vaporisation behaviour of UCl_3 95
A. Kovács, A.S. Booij, E.H.P. Cordfunke, A. Kok-Scheele, R.J.M. Konings (Petten, Netherlands)

New Group V κ-phases 98
G.A. Marking, V.G. Young, H.F. Franzen (Ames, IA, USA)

Elsevier Science S.A.

Physics

Interaction mechanism of hydrogen with the $CaCu_5$-type crystal structure intermetallic compounds 112
N.A. Yakovleva, E.A. Ganich, T.N. Rumyantseva, K.N. Semenenko (Moscow, Russia)

Effect of Fe substitution on the magnetic and electrical properties of the $(Bi_{1.6}Pb_{0.4})(Sr_{1.8}Ba_{0.2})Ca_2(Cu_{1-x}Fe_x)_3O_y$ superconductor 116
A.V. Pop, G. Ilonca, D. Ciurchea (Cluj-Napoca, Romania), M. Ye (Bruxelles, Belgium), I.I. Geru, V.G. Kantser (Chişinău, Moldova), V. Pop (Cluj-Napoca, Romania), M. Todică, R. Deltour (Bruxelles, Belgium)

Specific heat and magnetic susceptibility of CeAuSn and CeAgSn 121
M. Lenkewitz, S. Corsépius (Augsburg, Germany), G.R. Stewart (Augsburg, Germany and Gainesville, FL, USA)

Crystal structure and magnetic properties of $CeNi_{11-x}Si_x$ compounds 124
O. Moze (Parma, Italy), C.H. de Groot (Amsterdam and Eindhoven, Netherlands), F.R. de Boer, K.H.J. Buschow (Amsterdam, Netherlands)

Factors influencing the apparent activation energy for the formation of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ compound 127
J.-C. Grivel, R. Flükiger (Genève, Switzerland)

The x–T magnetic phase diagram of the $La_{1-x}Y_xMn_2Ge_2$ system by neutron diffraction study 135
G. Venturini, B. Malaman (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France)

Materials Science

Thermal, electrical and structural properties of Li_2WO_4 148
A.H. Yahaya, Z.A. Ibrahim, A.K. Arof (Kuala Lumpur, Malaysia)

Solid state reaction between powders and foils by low-energy ball milling 153
K.-M. Lee (Kwangju, South Korea), P.H. Shingu (Kyoto, Japan)

The influence of cobalt on the electrochemical cycling stability of $LaNi_5$-based hydride forming alloys 160
D. Chartouni, F. Meli, A. Züttel, K. Gross, L. Schlapbach (Fribourg, Switzerland)

Hydrogenation behaviour of the new composite storage materials Mg–x wt.% $CFMmNi_5$ 167
S.S. Sai Raman, O.N. Srivastava (Varanasi, India)

Torque transfer through plastic bonded $Nd_2Fe_{14}B$ magnetic gear system 175
D.M. Tsamakis, M.G. Ioannides (Zografou, Greece), G.K. Nicolaides (Aegaleo, Greece)

Metallurgy

The diboride compounds of molybdenum: MoB_{2-x} and Mo_2B_{5-y} 180
H. Klesnar (Albuquerque, NM and Livermore, CA, USA), T.L. Aselage, B. Morosin (Albuquerque, NM, USA), G.H. Kwei, A.C. Lawson (Livermore, CA, USA)

Crystal chemical properties and preparation of single crystals of $AgGaSe_2$–$GeSe_2$ γ-solid solutions 187
I.D. Olekseyuk, A.V. Gulyak, L.V. Sysa, G.P. Gorgut (Lutsk, Ukraine), A.F. Lomzin (Moscow, Russia)

Phase relations in the Nd–Co–Si system at 800 °C 191
Y. Zhao (Beijing, People's Republic of China), J. Liang (Beijing and Shengyang, People's Republic of China), G. Rao, Y. Guo, W. Tang, C. Dong, F. Wu (Beijing, People's Republic of China)

Phase equilibria in the ternary Ho–Fe–Nd system at 500 °C 196
L. Junqin, O. Xiangli, Z. Yinghong (Nanning, People's Republic of China)

New results about the osmium–zirconium system 199
K. Mahdouk (Vandœuvre, France), B. Sundman (Stockholm, Sweden), J.-C. Gachon (Vandœuvre, France)

The ternary system Sm–Co–Zr isoplethic section at Co = 89 at.% 210
A. Lefevre, L. Cataldo, M.Th. Cohen-Adad (Villeurbanne, France), C.H. Allibert, N. Valignat (Saint Martin D'Heres, France)

Binary system Sm–Co: revision of the phase diagram in the Co rich field 216
L. Cataldo, A. Lefèvre, F. Ducret, M.-Th. Cohen-Adad (Lyon, France), C. Allibert, N. Valignat (Grenoble, France)

The hydriding kinetics of β-quenched uranium–0.1 wt.% chromium 224
J. Bloch, M.H. Mintz (Beer-Sheva, Israel)

Book Review

Case studies in manufacturing with advanced materials vol. 2 232
C.Z.J. Raub

Author Index of Volume 241 233

Subject Index of Volume 241 235

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.